

DUKERS DCB72-D4



Brand: DUKERS

Product Code: DCB72-D4

Availability: In Stock

Weight: 0.00lb

Dimensions: 72.00in x 32.25in x 26.63in

Price: \$3,093.00

Short Description

Dukers DCB72-D4 Chef Base Refrigerator with 4 Drawers

Description

Product Features

- Digital temperature control features a digital display to make monitoring interior temperatures a breeze. This unit also comes with an auto-defrost function
- Foamed-in-place insulation keeps the interior cold and adds structural strength
- Stainless steel interior with rounded corners for easy cleaning. Meets and exceeds sanitation standards.
- Durable and high weight bearing rails for drawers.
- Heavy-duty 4" casters with brakes are included providing the unit with convenient mobility, making cleaning and servicing a breeze! Just roll the unit away from the wall.
- Ergonomic and modern recess door handles.
- Removable Drawer Gaskets, each drawer gasket is removable for easy cleaning and maintenance.
- Warranty for commercial use only. No warranty for residential use.

Specifications

Technical Specifications

x000D

x000D

- Refrigerated chef base
- Commercial use only
- Freezer drawers
- Dimensions (W x D x H): 72? x 32 1/4? x 26 5/8?
- Temperature range: 33~38°F
- Freezer casters (4?)
- Stainless Steel interior and exterior
- Voltage/Frequency: 115V/60HZ
- Refrigerant: R290/2.64oz
- Type Defrost: Automatic
- Interior Material: 304/201 Stainless Steel
- Exterior Material: 304/201 Stainless Steel
- Total Current: 2.5A
- Climate Category: 4/5
- Refrigerant: R290/1.76oz
- NEMA Config: NEMA 5-15P

Shipping / Pick Up

Free Shipping On Certain Orders! Call Now For a Quote!

Warranty

Warranty for commercial use only. No warranty for residential use.

Product Gallery

DETAILS & SPECIFICATIONS

CHIEF BASE

100-100

MODEL 9010

Input Voltage	120V
Rated Frequency	60Hz
Total Input Power	200W
Wattage Class	200W
Circuit Breaker	A-1
Protection Type	1
Design/Protection/Ag	200 P20
Design/Protection/Ag	100 P10
Insulation/Design/Ag	2-Phase
Net Weight	400 lbs
Net Weight	100 lbs
Temperature Range	32-101°F
Heating Power	400W
UL/ULC Certification	30
Refillings	REFILL-M4
1-Phase/2-Phase	2P

PULL PINS

1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0

Pin count

RELX PINS

1.0	1.0	1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0	1.0	1.0

SIXTH PINS

Los Angeles | San Francisco | Dallas
Houston | Phoenix | Chicago | New Jersey

1-800-421-0623
www.dukersusa.com



DUKERS
Quality Commercial Refrigeration

CHEF BASE
Model DCB72

PRODUCT FEATURES

- 1) Single temperature compartments with digital display monitoring motor temperature and alarm. This unit also complies with NSF foodservice facilities.
- 2) Temperature regulation allows the interior to be set with structural strength.
- 3) Superior steel interior with maintenance for easy cleaning. Select and replace exterior handles.
- 4) Durable and low-weight bearings for wheels.
- 5) Alarm alert if sections with doors are opened, resulting in the unit with convenient mobility, making it easy to move from place to place, and the unit easy to handle and use.
- 6) Long-life and modern space-saving handles.
- 7) Intermediate Drain System, built-in drain system is convenient for easy cleaning and maintenance.

HIGH-QUALITY STAINLESS STEEL & STAINLESS DESIGN

TECHNICAL SPECIFICATIONS

Refrigerant Type	R-134a
Compressor	Hermetic
Evaporator	Direct
Condenser	Top
Defrost	Manual
Door Type	Full
Interior	Stainless Steel
Exterior	Stainless Steel
Warranty	1 Year

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐ 10 Year / 100,000 Hours

☐ 1 Year / 10,000 Hours
☐ 2 Year / 20,000 Hours
☐ 3 Year / 30,000 Hours
☐ 4 Year / 40,000 Hours
☐ 5 Year / 50,000 Hours
☐ 6 Year / 60,000 Hours
☐ 7 Year / 70,000 Hours
☐ 8 Year / 80,000 Hours
☐ 9 Year / 90,000 Hours
☐

